Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Canceled).
- 2. (Currently amended) The system according to claim <u>11 1</u>—wherein said drawer includes means for supporting said data storage device in a desired position.
- (Currently amended) The system according to claim <u>11_1</u> wherein said drawer is configured to receive a plurality of data storage devices.
- 4. (Currently amended) The system according to claim <u>11_1</u>—wherein said drawer has a height that is an integral multiple of 1.75 inches (4.45 cm).
- 5. (Canceled).
- 6. (Currently amended) The system according to claim 11_1—wherein said tray includes means for supporting said data storage device in a desired position.
- 7. (Currently amended) The system according to claim 11 1—wherein said tray is configured to support said data storage device in a desired position such that an exposed face of said data storage device is visible.
- 8. (Original) The system according to claim 7 said data storage device is supported in an inclined position.
- 9. (Currently amended) The system according to claim <u>11_4</u>-wherein said tray is configured to receive a plurality of data storage devices.

158443.01/2182.14500 Page 2 of 6 HP PDNO 200312628-1

- 10. (Canceled).
- 11. (Previously presented) A computer rack system, comprising: electronic components;
 - a rack including means for supporting said electronic components therein; and
 - a drawer slidably mounted in said rack and configured to receive at least one data storage device, further including at least one removable tray in said drawer, wherein said tray includes a lid and said lid includes means for locking said lid in a closed position.
- 12. (Previously presented) A computer rack system, comprising: electronic components;
 - a rack including means for supporting said electronic components therein; and
 - a drawer slidably mounted in said rack and configured to receive at least one data storage device, wherein said data storage device includes a memory chip.
- 13. (Previously presented) A computer system, comprising: a rack comprising a mounting means disposed along an interior surface; a microprocessor mounted in said rack;
 - at least one drawer mounted in said rack, said drawer being slidably engageable along said mounting means;
 - a plurality of trays disposed in said drawer, the trays being removable from the drawer and disposed parallel to each other in said drawer; and
 - a plurality of data storage devices disposed in each of said trays, at least one of said data storage devices including a memory chip and said data storage devices being removable from said trays and arranged back-to-back in a stacking arrangement.

159443,01/2162,14500 Page 3 of 6 HP PDNO 200312628-1

- 14. (Original) The computer system according to claim 13 wherein: said drawer is removable from said rack; and said trays extend along a lengthwise direction of said drawer.
- 15. (Currently amended) A method for storing magnetic tapes for use in a computer system that is supported in a frame, comprising:

providing a rack comprising a means for receiving a plurality of drawers; slidably engaging at least one drawer a plurality of drawers along the means for receiving;

- positioning a plurality of trays in the at least one drawer of the drawers, the trays being removable from the at least one drawer; and
- stacking a plurality of magnetic tapes in each of the trays, the magnetic tapes being removable from the trays and at least one of said magnetic tapes including a memory chip.
- 16. (Original) The method of claim 15, further comprising arranging the trays in a parallel orientation with each other.
- 17. (Original) The method of claim 16, further comprising stacking the magnetic tapes at an angle within the at least one drawer such that a face of the magnetic tape is angled with respect to the at least one drawer.
- 18. (Original) The method of claim 16, further comprising providing a plurality of slots in the trays, and positioning the magnetic tapes in the slots to prevent the magnet tapes from falling over.
- 19. (Original) The method of claim 16, further comprising providing the at least one drawer with a height and a length that is an integral multiple of the height.

20. (Original) The method of claim 16, further comprising positioning at least three trays in the at least one drawer, the three trays being parallel to each other and extending along a length of the at least one drawer.